

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.: X

DATE : September 12, 2007

TO SPE OF : ART UNIT 3677

SUBJECT : Request for Certificate of Correction for Appl. No.: 10/620880 Patent No.: 7074357 B2

A response is requested with respect to a request for a certificate of correction.

With respect to the change(s) requested to correct Office and/or Applicant's errors, should the patent read as shown in the certificate of correction attached herewith or the COCIN document(s), in IFW images for the above-identified patented application? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

If the response is for an IFW, within 7 days, please complete and forward the response, to the employee (named below) via scanning into application images, using document code COCX.

DO NOT SEND TO ATTORNEY

If the response is for a paper file wrapper, please complete the response and forward the response with the paper file wrapper, to the employee (named below), within 7 days, to:

Certificates of Correction Branch (CofC)

South Tower - 9A22

Palm Location 7580

VIRGINIA TOLBERT

Certificates of Correction Branch

703-308-9390 ext. 113

Thank You For Your Assistance

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☐ **Approved**

All changes apply.

☒ **Approved in Part**

Specify below which changes **do not** apply.

☐ **Denied**

State the reasons for denial below.

Comments: APPROVED IN PART the first change in Column 3 line 32 is APPROVED -- there should be a space between "2" and "H" so that it reads -- loxane having at least 2 H -- to correct applicant's typing error. The 2nd change in Column 3 line 32 is clearly incorrect -- a period between "atoms" and "directly" makes no sense. This change is DENIED. No change is needed in Column 8, line 32. The line reads exactly as applicant requests that it read. This change is DENIED


BRIAN WERNER
SUPERVISORY PATENT EXAMINER
SPE

9/13/07
Art Unit